



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/971,755	10/05/2001	Inderpal Singh Narang	JP920010146US1	4239
7590	12/17/2003		EXAMINER	
Anthony England 1717 West Sixth Street Suite 230 Austin, TX 78703			FLEURANTIN, JEAN B	
			ART UNIT	PAPER NUMBER
			2172	
DATE MAILED: 12/17/2003				

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	09/971,755	NARANG ET AL.	
	Examiner	Art Unit	
	Jean B Fleurantin	2172	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on 05 October 2001.

2a) This action is **FINAL**. 2b) This action is non-final.

3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 1-58 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) Claim(s) _____ is/are allowed.

6) Claim(s) 1-58 is/are rejected.

7) Claim(s) _____ is/are objected to.

8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. §§ 119 and 120

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) All b) Some * c) None of:
1. Certified copies of the priority documents have been received.
2. Certified copies of the priority documents have been received in Application No. _____.
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.
13) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
a) The translation of the foreign language provisional application has been received.
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Attachment(s)

1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) Paper No(s). ____ .
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) Information Disclosure Statement(s) (PTO-1449) Paper No(s) 4. 5) Notice of Informal Patent Application (PTO-152)
6) Other: _____

DETAILED ACTION

1. This is in response to the application filed on September 27, 2001, in which claims 1-58 are presented for examination.
2. The Declaration filed on January 01, 2002 (Paper No. 3) has been entered. Change of Address filed on August 6, 2002 (Paper No. 7) has been entered, and the Power of Attorney filed on November 2, 2002 (Paper No. 8) has been entered.

Information Disclosure Statement

3. The information disclosure statement (IDS) file on 01/03/02 (Paper No. 4) complies with the provisions of M.P.E.P. 609. It has been placed in the application file. The information referred to therein has been considered as to merits. (See attached form).

Drawings

4. The drawings filed on May 29, 2002 are objected by the Draftsperson under 37 CFR 1.84 or 1.152 as indicated in the "Notice of Draftsperson's Patent Drawing Review," PTO-948.

Specification

5. The abstract of the disclosure is objected to because TITLE of the invention should not be in the same page as the Abstract (page 42). Appropriate correction is required.

Claim Objections

6. Claim 10 is objected to because of the following informalities: “saidfile”. Appropriate correction is required.

Claim Rejections - 35 USC § 103

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-58 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,088,694 issued to Burns et al. (“hereinafter Burns”) in view of U.S. Patent No. 6,581,075 issued to Guturu et al. (“hereinafter Geturu”).

As per claim 1, Burns discloses “a method of maintaining consistency of content of an object and metadata related to said object in a loose transaction model for object and meta-data updates” as to maintain consistency of the file content with its metadata in the DBMS requires that certain procedure must be followed in order to modify the file, (see col. 3, lines 48-51), “storing said related meta-data and a reference to said object in a table of a database” as the file management system also includes a function that receives the updated file, in which saves the updated file under a new name different from the original, (see col. 4, lines 54-56), and column 1, lines 55-58, “said object being stored externally to said database in an object store” as to keep large data objects stored as files in a file system and link these references to these external files

from the database (col. 2, lines 14-16), “said reference used to obtain a handle for directly accessing or manipulating said external object” as a file manager when executed by the computer system that accesses files maintained in file storage and communicates with a database management system that supports the linking of external files, (see col. 20, lines 28-32) and column 7, lines 15-17;

“obtaining a version number embedded in said handle” as the reference file A(1) is referred to as a versioned file, in which file A(1) is backed up in total, the backup operation of the new version file A(2) would involve backing up only the modified portions with respect to A(1), (see col. 5, lines 63-67). Burns does not explicitly disclose steps of comparing said embedded version number with a version number of a latest committed version of said externally stored object to determine if said handle refers to a current version of said externally stored object”. Guturu discloses a step of comparing a version number of the data record to a version number of the data update, (see col. 2, lines 39-41), and column 4, lines 5-11-37; and also column 6, lines 47-51. It would have been obvious to one ordinary skill in the art to modify the combined teachings of Burns with Guturu with steps of comparing said embedded version number with a version number of a latest committed version of said externally stored object to determine if said handle refers to a current version of said externally stored object. Such modification would allow the teachings of Burns and Guturu to improve the accuracy and the reliability of the method of maintaining data consistency in a loose transaction model, and to provide database synchronicity without the use of synchronizing messages and thus avoiding high on the links between the databases, and to process the data update requests and maintain the same data content at the two databases, (see Guturu, col. 3, lines 4-6; and col. 3, lines 9-10).

As per claim 2, in addition to the discussion in claim 1, Burns does not explicitly discloses steps of comparing a last modification time stamp of said object with a last modification timestamp for said latest committed version of said object; and if said last modification time stamp of said object matches with said last modification timestamp for said latest committed version of said object, permitting access to said externally stored object. However, Guturu discloses “comparing a last modification time stamp of said object with a last modification timestamp for said latest committed version of said object” as means for receiving a data update request for a data record at the database, and comparing a timestamp of the data record to a timestamp of the data update request, (see col. 2, lines 7-10); and “if said last modification time stamp of said object matches with said last modification timestamp for said latest committed version of said object” as if the timestamp of the data update request is substantially identical to the timestamp of the data record, in which the operational priority of the data record is compared with the operational priority of the data update request, (see col. 2, lines 48-52), “permitting access to said externally stored object” as the delete flag is set to false the override SMS flag is set to false, in which the insert flag is set to true, and the timestamp is set to the timestamp of the network side update request (see col. 4, lines 64-67), and column 2, lines 63-65. It would have been obvious to one ordinary skill in the art to modify the combined teachings of Burns with Guturu with steps of comparing a last modification time stamp of said object with a last modification timestamp for said latest committed version of said object; and if said last modification time stamp of said object matches with said last modification timestamp for said latest committed version of said object, permitting access to said externally stored object.

Such modification would allow the teachings of Burns and Guturu to improve the accuracy and the reliability of the method of maintaining data consistency in a loose transaction model, and to provide a method of maintaining synchronization among multiple databases, (see Guturu, col. 1, lines 57-58).

As per claim 3, Burns discloses the claimed subject matter except the claimed if said last modification time stamp of said object does not match with said last modification timestamp for said latest committed version of said object, generating an error to indicate that said handle refers to stale content in said object. However, Guturu discloses the update record timestamp is compared to the existing record timestamp, if the difference is greater than the predetermined conflict time window, then a one or true is returned to the determination made, if the existing record timestamp is a conflict time window more than the updated record timestamp, then a zero or false returned, (see col. 6, lines 3-16). It would have been obvious to one ordinary skill in the art to modify the combined teachings of Burns with Guturu with steps if said last modification time stamp of said object does not match with said last modification timestamp for said latest committed version of said object, generating an error to indicate that said handle refers to stale content in said object. Such modification would allow the teachings of Burns and Guturu to improve the accuracy and the reliability of the method of maintaining data consistency in a loose transaction model, and to provide database synchronicity without the use of synchronizing messages and thus avoiding high on the links between the databases, and to process the data update requests and maintain the same data content at the two databases, (see Guturu, col. 3, lines 4-6; and col. 3, lines 9-10).

As per claim 4, Burns discloses, "the method further including the steps of updating said object in-place under either DBMS control or file system control and linking said meta-data and said object under DBMS control" as linked a database management system through a datalink data type, even while the file is being modified at the file management system with either the update operation, (see col. 4, lines 32-36).

As per claim 5, Burns discloses, "wherein said loose-transaction update model uses SQL Mediated Object Manipulation (SMOM) for an object that resides external to said database" as the computing system issues an SQL insert, SQL delete or SQL update call in the database, in which the database management detects that this operation occurs on a column of type datalink and issues a linkfile command, (see col. 9, lines 1-6).

As per claim 6, Burns discloses the claimed subject matter except the claimed intercepting a native access to said externally stored object or a file system and validating the caller's access rights based on a combination of said version number and a last modification timestamp for a version of said object. However, Guturu discloses the update record timestamp is compared to the existing record timestamp, if the difference is greater than the predetermined conflict time window, then a one or true is returned to the determination made, if the existing record timestamp is a conflict time window more than the updated record timestamp, then a zero or false is returned, (see col. 6, lines 3-16), and column 4, lines 64-67. It would have been obvious to one ordinary skill in the art to modify the combined teachings of Burns with Guturu

with steps of intercepting a native access to said externally stored object or a file system and validating the caller's access rights based on a combination of said version number and a last modification timestamp for a version of said object. Such modification would allow the teachings of Burns and Guturu to improve the accuracy and the reliability of the method of maintaining data consistency in a loose transaction model, and to provide database synchronicity without the use of synchronizing messages and thus avoiding high on the links between the databases, and to process the data update requests and maintain the same data content at the two databases, (see Guturu, col. 3, lines 4-6; and col. 3, lines 9-10).

As per claim 7, Burns discloses, "wherein said intercepting step is carried out using a filter layer of said object store for said stored object", (see figure 6, element 102, col. 10, lines 35-37).

As per claim 8, Burns discloses, "wherein said object store is a local file system", (see col. 4, lines 54-56).

As per claim 9, Burns discloses, "wherein said object store is a distributed file system, said object being accessed from a remote file system client" as the file with the name filename is created in the file server 17 and accessed by the client application 80 over the file communication path, (see col. 9, lines 42-44).

As per claim 10, Burns discloses, “wherein a file access occurs in the presence of authoritative caching and said comparing steps are performed at said file system client” as the file with the name filename is created in the file server 17 and accessed by the client application 80 over the file communication path, in which the client application sends a request over the SQL communication path for the insertion of a record with a datalink field containing a server/filename entry into the database stored at the database storage, (see col. 9, lines 42-48).

As per claim 11, Burns discloses the claimed subject matter except the claimed caching the last known version number and the corresponding last modification timestamp at said file system client after an access and refreshing said last known version number and said corresponding last modification timestamp with latest values from a file server the next time one or both of said comparisons fail with the previously cached values, in which case said comparing steps are retried with refreshed values. However, Guturu discloses “caching the last known version number and the corresponding last modification timestamp at said file system client after an access and refreshing said last known version number” as the method includes the steps of receiving a data update request for a data record at the database, and comparing a timestamp of the data record to a timestamp of the data update request, (see col. 2, lines 7-10), “and said corresponding last modification timestamp with latest values from a file server the next time one or both of said comparisons fail with the previously cached values, in which case said comparing steps are retried with refreshed values” as the method then updates the data in the data record with the data update request if the timestamp of the data update request is a predetermined conflict time window later than the timestamp of the data record, in which the operational

priority of the data record is then compared to the operational priority of the data update request if the timestamp of the data update request is substantially identical to the timestamp of the data record, and the data in the data record is updated with the data update request if the operational priority of the data update request is higher than the operational priority of the data record, (see col. 2, lines 10-20). Further, in column 2, lines 63-65, Guturu discloses the data update request is ignored in response to the timestamp of the data update request being substantially identical to the timestamp of the data record. It would have been obvious to one ordinary skill in the art to modify the combined teachings of Burns with Guturu with steps of caching the last known version number and the corresponding last modification timestamp at said file system client after an access and refreshing said last known version number and said corresponding last modification timestamp with latest values from a file server the next time one or both of said comparisons fail with the previously cached values, in which case said comparing steps are retried with refreshed values. Such modification would allow the combined teachings of Burns and Guturu to improve the accuracy and the reliability of the method of maintaining data consistency in a loose transaction model, and to provide database synchronicity without the use of synchronizing messages and thus avoiding high on the links between the databases, and to process the data update requests and maintain the same data content at the two databases, (see Guturu, col. 3, lines 4-6; and col. 3, lines 9-10).

As per claim 12, Burns discloses, “wherein said object includes a file”, (see col. 2, lines 31-34).

As per claim 13, Burns discloses, “wherein said version number associated with said object is embedded in an access token” as during modification users can access the immediately previous version of the file which register in the DBMS, (see col. 4, lines 39-42).

As per claim 14, Burns discloses, “wherein said version number is temporally unique” as the reference file A (1) is referred to as a versioned file, (see col. 5, lines 64-65).

As per claim 15, Burns discloses the claimed subject matter except the claimed wherein the last-modification-timestamp attribute associated with said object is maintained by said object store. However, Guturu discloses the steps of receiving a data update request for a data record at the database and comparing a timestamp of the data request, (see col. 2, lines 7-10). It would have been obvious to one ordinary skill in the art to modify the combined teachings of Burns with Guturu with steps of wherein the last-modification-timestamp attribute associated with said object is maintained by said object store. Such modification would allow the teachings of Burns and Guturu to improve the accuracy and the reliability of the method of maintaining data consistency in a loose transaction model, and to provide database synchronicity without the use of synchronizing messages and thus avoiding high on the links between the databases, and to process the data update requests and maintain the same data content at the two databases, (see Guturu, col. 3, lines 4-6; and col. 3, lines 9-10).

As per claim 16, Burns discloses, “wherein clock synchronization between a database server and a filesystem server is not required”, (see col. 2, lines 29-35).

As per claim 17, Burns discloses, “wherein said database is rolled back to an earlier state”, (see col. 5, lines 63-67).

As per claim 18, Burns discloses, “wherein said database is a replicated version”, (see col. 5, lines 63-67).

As per claim 19, Burns discloses the method, “further including the steps of updating said object while said object is currently linked” as user updates a linked file, that provided with a copy of the original linked file to maintain as local copy for updating, which during such updating operations the original unmodified reference file version remains in the file storage, (see col. 12, lines 57-61); and

“accessing said meta-data for said object while said object is being updated” as access file data through local file systems and make modifications to that data, (see col. 4, lines 39-40) .

As per claim 20, Burns discloses “an apparatus for maintaining consistency of content of an object and metadata related to said object in a loose transaction model for object and meta-data updates” as to maintain consistency of the file content with its metadata in the DBMS requires that certain procedure must be followed in order to modify the file, (see col. 3, lines 48-51), “means for storing said related meta-data and a reference to said object in a table of a database” as the file management system also includes a function that receives the updated file, in which saves the updated file under a new name different from the original, (see col. 4, lines

54-56), and column 1, lines 55-58, "said object being stored externally to said database in an object store" as to keep large data objects stored as files in a file system and link these references to these external files from the database (col. 2, lines 14-16), "said reference used to obtain a handle for directly accessing or manipulating said external object" as a file manager when executed by the computer system that accesses files maintained in file storage and communicates with a database management system that supports the linking of external files, (see col. 20, lines 28-32) and column 7, lines 15-17;

"means for obtaining a version number embedded in said handle" as the reference file A(1) is referred to as a versioned file, in which file A(1) is backed up in total, the backup operation of the new version file A(2) would involve backing up only the modified portions with respect to A(1), (see col. 5, lines 63-67). Burns does not explicitly disclose steps means for comparing said embedded version number with a version number of a latest committed version of said externally stored object to determine if said handle refers to a current version of said externally stored object" Guturu discloses means for comparing a version number of the data record to a version number of the data update, (see col. 2, lines 39-41), and column 4, lines 5-11-37; and also column 6, lines 47-51. It would have been obvious to one ordinary skill in the art to modify the combined teachings of Burns with Guturu with steps of comparing said embedded version number with a version number of a latest committed version of said externally stored object to determine if said handle refers to a current version of said externally stored object. Such modification would allow the teachings of Burns and Guturu to improve the accuracy and the reliability of the method of maintaining data consistency in a loose transaction model, and to provide database synchronicity without the use of synchronizing messages and thus avoiding

high on the links between the databases, and to process the data update requests and maintain the same data content at the two databases, (see Guturu, col. 3, lines 4-6; and col. 3, lines 9-10).

As per claim 21, in addition to the discussion in claim 20, Burns does not explicitly discloses steps of comparing a last modification time stamp of said object with a last modification timestamp for said latest committed version of said object; and means for, if said last modification time stamp of said object matches with said last modification timestamp for said latest committed version of said object, permitting access to said externally stored object. However, Guturu discloses “comparing a last modification time stamp of said object with a last modification timestamp for said latest committed version of said object” as means for receiving a data update request for a data record at the database, and comparing a timestamp of the data record to a timestamp of the data update request, (see col. 2, lines 7-10); and “means for, if said last modification time stamp of said object matches with said last modification timestamp for said latest committed version of said object” as if the timestamp of the data update request is substantially identical to the timestamp of the data record, in which the operational priority of the data record is compared with the operational priority of the data update request, (see col. 2, lines 48-52), “permitting access to said externally stored object” as the delete flag is set to false the override SMS flag is set to false, in which the insert flag is set to true, and the timestamp is set to the timestamp of the network side update request (see col. 4, lines 64-67), and column 2, lines 63-65. It would have been obvious to one ordinary skill in the art to modify the combined teachings of Burns with Guturu with steps of comparing a last modification time stamp of said object with a last modification timestamp for said latest committed version of said object; and if

said last modification time stamp of said object matches with said last modification timestamp for said latest committed version of said object, permitting access to said externally stored object. Such modification would allow the teachings of Burns and Guturu to improve the accuracy and the reliability of the method of maintaining data consistency in a loose transaction model, and to provide database synchronicity without the use of synchronizing messages and thus avoiding high on the links between the databases, and to provide a method of maintaining synchronization among multiple databases, (see Guturu, col. 1, lines 57-58).

As per claim 22, Burns discloses the claimed subject matter except the claimed if said last modification time stamp of said object does not match with said last modification timestamp for said latest committed version of said object, generating an error to indicate that said handle refers to stale content in said object. However, Guturu discloses the update record timestamp is compared to the existing record timestamp, if the difference is greater than the predetermined conflict time window, then a one or true is returned to the determination made, if the existing record timestamp is a conflict time window more than the updated record timestamp, then a zero or false returned, (see col. 6, lines 3-16). It would have been obvious to one ordinary skill in the art to modify the combined teachings of Burns with Guturu with steps if said last modification time stamp of said object does not match with said last modification timestamp for said latest committed version of said object, generating an error to indicate that said handle refers to stale content in said object. Such modification would allow the teachings of Burns and Guturu to improve the accuracy and the reliability of the method of maintaining data consistency in a loose transaction model, and to provide database synchronicity without the use of synchronizing

messages and thus avoiding high on the links between the databases, and to process the data update requests and maintain the same data content at the two databases, (see Guturu, col. 3, lines 4-6; and col. 3, lines 9-10).

As per claim 23, Burns discloses, “the method further including means for updating said object in-place under either DBMS control or file system control and linking said meta-data and said object under DBMS control” as linked a database management system through a datalink data type, even while the file is being modified at the file management system with either the update operation, (see col. 4, lines 32-36).

As per claim 24, Burns discloses, “wherein said loose-transaction update model uses SQL Mediated Object Manipulation (SMOM) for an object that resides external to said database” as the computing system issues an SQL insert, SQL delete or SQL update call in the database, in which the database management detects that this operation occurs on a column of type datalink and issues a linkfile command, (see col. 9, lines 1-6).

As per claim 25, Burns discloses the claimed subject matter except the claimed intercepting a native access to said externally stored object or a file system and validating the caller's access rights based on a combination of said version number and a last modification timestamp for a version of said object. However, Guturu discloses the update record timestamp is compared to the existing record timestamp, if the difference is greater than the predetermined conflict time window, then a one or true is returned to the determination made, if the existing

record timestamp is a conflict time window more than the updated record timestamp, then a zero or is false returned, (see col. 6, lines 3-16), and column 4, lines 64-67. It would have been obvious to one ordinary skill in the art to modify the combined teachings of Burns with Guturu with steps of intercepting a native access to said externally stored object or a file system and validating the caller's access rights based on a combination of said version number and a last modification timestamp for a version of said object. Such modification would allow the teachings of Burns and Guturu to improve the accuracy and the reliability of the method of maintaining data consistency in a loose transaction model, and to provide database synchronicity without the use of synchronizing messages and thus avoiding high on the links between the databases, and to process the data update requests and maintain the same data content at the two databases, (see Guturu, col. 3, lines 4-6; and col. 3, lines 9-10).

As per claim 26, Burns discloses, "wherein said intercepting step is carried out using a filter layer of said object store for said stored object", (see figure 6, element 102, col. 10, lines 35-37).

As per claim 27, Burns discloses, "wherein said object store is a local file system", (see col. 4, lines 54-56).

As per claim 28, Burns discloses, "wherein said object store is a distributed file system, said object being accessed from a remote file system client", (see col. 9, lines 42-44).

As per claim 28, Burns discloses, wherein a file access occurs in the presence of authoritative caching and both said means for comparing are implemented at said file system client, (see col. 4, lines 54-56).

As per claim 30, Burns discloses the claimed subject matter except the claimed means for caching the last known version number and the corresponding last modification timestamp at said file system client after an access and means for refreshing said last known version number and said corresponding last modification timestamp with latest values from a file server the next time one or both of said comparisons fail with the previously cached values, in which case said comparing means retry said comparisons with refreshed values. However, Guturu discloses “means for caching the last known version number and the corresponding last modification timestamp at said file system client after an access and means for refreshing said last known version number” as the method includes the steps of receiving a data update request for a data record at the database, and comparing a timestamp of the data record to a timestamp of the data update request, (see col. 2, lines 7-10), “and said corresponding last modification timestamp with latest values from a file server the next time one or both of said comparisons fail with the previously cached values, in which case both comparing mean retry with refreshed values” as the method then updates the data in the data record with the data update request if the timestamp of the data update request is a predetermined conflict time window later than the timestamp of the data record, in which the operational priority of the data record is then compared to the operational priority of the data update request if the timestamp of the data update request is substantially identical to the timestamp of the data record, and the data in the data record is

updated with the data update request if the operational priority of the data update request is higher than the operational priority of the data record, (see col. 2, lines 10-20). Further, in column 2, lines 63-65, Guturu discloses the data update request is ignored in response to the timestamp of the data update request being substantially identical to the timestamp of the data record. It would have been obvious to one ordinary skill in the art to modify the combined teachings of Burns with Guturu with steps of caching the last known version number and the corresponding last modification timestamp at said file system client after an access and refreshing said last known version number and said corresponding last modification timestamp with latest values from a file server the next time one or both of said comparisons fail with the previously cached values, in which case said comparing steps are retried with refreshed values. Such modification would allow the combined teachings of Burns and Guturu to improve the accuracy and the reliability of the method of maintaining data consistency in a loose transaction model, and to provide database synchronicity without the use of synchronizing messages and thus avoiding high on the links between the databases, and to process the data update requests and maintain the same data content at the two databases, (see Guturu, col. 3, lines 4-6; and col. 3, lines 9-10).

As per claim 31, Burns discloses, “wherein said object includes a file”, (see col. 2, lines 31-34).

As per claim 32, Burns discloses, “wherein said version number associated with said object is embedded in an access token” as during modification users can access the immediately previous version of the file which register in the DBMS, (see col. 4, lines 39-42).

As per claim 33, Burns discloses, “wherein said version number is temporally unique” as the reference file A (1) is referred to as a versioned file, (see col. 5, lines 64-65).

As per claim 34, Burns discloses the claimed subject matter except the claimed wherein the last-modification-timestamp attribute associated with said object is maintained by said object store. However, Guturu discloses the steps of receiving a data update request for a data record at the database and comparing a timestamp of the data request, (see col. 2, lines 7-10). It would have been obvious to one ordinary skill in the art to modify the combined teachings of Burns with Guturu with steps of wherein the last-modification-timestamp attribute associated with said object is maintained by said object store. Such modification would allow the teachings of Burns and Guturu to improve the accuracy and the reliability of the method of maintaining data consistency in a loose transaction model, and to provide database synchronicity without the use of synchronizing messages and thus avoiding high on the links between the databases, and to process the data update requests and maintain the same data content at the two databases, (see Guturu, col. 3, lines 4-6; and col. 3, lines 9-10).

As per claim 35, Burns discloses, “wherein clock synchronization between a database server and a filesystem server is not required”, (see col. 2, lines 29-35).

As per claim 36, Burns discloses, “wherein said database is rolled back to an earlier state”, (see col. 5, lines 63-67).

As per claim 37, Burns discloses, “wherein said database is a replicated version”, (see col. 5, lines 63-67).

As per claim 38, Burns discloses the method, “means for updating said object while said object is currently linked” as user updates a linked file, that provided with a copy of the original linked file to maintain as local copy for updating, which during such updating operations the original unmodified reference file version remains in the file storage, (see col. 12, lines 57-61); and

“means for accessing said meta-data for said object while said object is being updated” as access file data through local file systems and make modifications to that data, (see col. 4, lines 39-40).

As per claim 39, Burns discloses “a computer program of maintaining consistency of content of an object and metadata related to said object in a loose transaction model for object and meta-data updates” as to maintain consistency of the file content with its metadata in the DBMS requires that certain procedure must be followed in order to modify the file, (see col. 3, lines 48-51), “computer code for storing said related meta-data and a reference to said object in a table of a database” as the file management system also includes a function that receives the

updated file, in which saves the updated file under a new name different from the original, (see col. 4, lines 54-56), and column 1, lines 55-58, “said object being stored externally to said database in an object store” as to keep large data objects stored as files in a file system and link these references to these external files from the database (col. 2, lines 14-16), “said reference used to obtain a handle for directly accessing or manipulating said external object” as a file manager when executed by the computer system that accesses files maintained in file storage and communicates with a database management system that supports the linking of external files, (see col. 20, lines 28-32) and column 7, lines 15-17;

“computer code for obtaining a version number embedded in said handle” as the reference file A(1) is referred to as a versioned file, in which file A(1) is backed up in total, the backup operation of the new version file A(2) would involve backing up only the modified portions with respect to A(1), (see col. 5, lines 63-67). Burns does not explicitly disclose steps computer code for comparing said embedded version number with a version number of a latest committed version of said externally stored object to determine if said handle refers to a current version of said externally stored object” Guturu discloses step of comparing a version number of the data record to a version number of the data update, (see col. 2, lines 39-41), and column 4, lines 5-11-37; and also column 6, lines 47-51. It would have been obvious to one ordinary skill in the art to modify the combined teachings of Burns with Guturu with steps of comparing said embedded version number with a version number of a latest committed version of said externally stored object to determine if said handle refers to a current version of said externally stored object. Such modification would allow the teachings of Burns and Guturu to improve the accuracy and the reliability of the method of maintaining data consistency in a loose transaction

model, and to provide database synchronicity without the use of synchronizing messages and thus avoiding high on the links between the databases, and to process the data update requests and maintain the same data content at the two databases, (see Guturu, col. 3, lines 4-6; and col. 3, lines 9-10).

As per claim 40, in addition to the discussion in claim 39, Burns does not explicitly discloses steps of comparing a last modification time stamp of said object with a last modification timestamp for said latest committed version of said object; and means for, if said last modification time stamp of said object matches with said last modification timestamp for said latest committed version of said object, permitting access to said externally stored object. However, Guturu discloses “comparing a last modification time stamp of said object with a last modification timestamp for said latest committed version of said object” as means for receiving a data update request for a data record at the database, and comparing a timestamp of the data record to a timestamp of the data update request, (see col. 2, lines 7-10); and “computer code for, if said last modification time stamp of said object matches with said last modification timestamp for said latest committed version of said object” as if the timestamp of the data update request is substantially identical to the timestamp of the data record, in which the operational priority of the data record is compared with the operational priority of the data update request, (see col. 2, lines 48-52), “permitting access to said externally stored object” as the delete flag is set to false the override SMS flag is set to false, in which the insert flag is set to true, and the timestamp is set to the timestamp of the network side update request (see col. 4, lines 64-67), and column 2, lines 63-65. It would have been obvious to one ordinary skill in the art to modify the

combined teachings of Burns with Guturu with steps of comparing a last modification time stamp of said object with a last modification timestamp for said latest committed version of said object; and if said last modification time stamp of said object matches with said last modification timestamp for said latest committed version of said object, permitting access to said externally stored object. Such modification would allow the teachings of Burns and Guturu to improve the accuracy and the reliability of the method of maintaining data consistency in a loose transaction model, and to provide database synchronicity without the use of synchronizing messages and thus avoiding high on the links between the databases, and to provide a method of maintaining synchronization among multiple databases, (see Guturu, col. 1, lines 57-58).

As per claim 41, Burns discloses the claimed subject matter except the claimed if said last modification time stamp of said object does not match with said last modification timestamp for said latest committed version of said object, generating an error to indicate that said handle refers to stale content in said object. However, Guturu discloses the update record timestamp is compared to the existing record timestamp, if the difference is greater than the predetermined conflict time window, then a one or true is returned to the determination made, if the existing record timestamp is a conflict time window more than the updated record timestamp, then a zero or false returned, (see col. 6, lines 3-16). It would have been obvious to one ordinary skill in the art to modify the combined teachings of Burns with Guturu with steps if said last modification time stamp of said object does not match with said last modification timestamp for said latest committed version of said object, generating an error to indicate that said handle refers to stale content in said object. Such modification would allow the teachings of Burns and Guturu to

improve the accuracy and the reliability of the method of maintaining data consistency in a loose transaction model, and to provide database synchronicity without the use of synchronizing messages and thus avoiding high on the links between the databases, and to process the data update requests and maintain the same data content at the two databases, (see Guturu, col. 3, lines 4-6; and col. 3, lines 9-10).

As per claim 42, Burns discloses, “computer code updating said object in-place under either DBMS control or file system control and linking said meta-data and said object under DBMS control” as linked a database management system through a datalink data type, even while the file is being modified at the file management system with either the update operation, (see col. 4, lines 32-36).

As per claim 43, Burns discloses, “wherein said loose-transaction update model uses SQL Mediated Object Manipulation (SMOM) for an object that resides external to said database” as the computing system issues an SQL insert, SQL delete or SQL update call in the database, in which the database management detects that this operation occurs on a column of type datalink and issues a linkfile command, (see col. 9, lines 1-6).

As per claim 44, Burns discloses the claimed subject matter except the claimed computer code for intercepting a native access to said externally stored object or a file system and validating the caller's access rights based on a combination of said version number and a last modification timestamp for a version of said object. However, Guturu discloses the update

record timestamp is compared to the existing record timestamp, if the difference is greater than the predetermined conflict time window, then a one or true is returned to the determination made, if the existing record timestamp is a conflict time window more than the updated record timestamp, then a zero or false is returned, (see col. 6, lines 3-16), and column 4, lines 64-67. It would have been obvious to one ordinary skill in the art to modify the combined teachings of Burns with Guturu with steps of intercepting a native access to said externally stored object or a file system and validating the caller's access rights based on a combination of said version number and a last modification timestamp for a version of said object. Such modification would allow the teachings of Burns and Guturu to improve the accuracy and the reliability of the method of maintaining data consistency in a loose transaction model, and to provide database synchronicity without the use of synchronizing messages and thus avoiding high on the links between the databases, and to process the data update requests and maintain the same data content at the two databases, (see Guturu, col. 3, lines 4-6; and col. 3, lines 9-10).

As per claim 45, Burns discloses, "wherein said intercepting step is carried out using a filter layer of said object store for said stored object", (see figure 6, element 102, col. 10, lines 35-37).

As per claim 46, Burns discloses, "wherein said object store is a local file system", (see col. 4, lines 54-56).

As per claim 47, Burns discloses, “wherein said object store is a distributed file system, said object being accessed from a remote file system client” as the file with the name filename is created in the file server 17 and accessed by the client application 80 over the file communication path, (see col. 9, lines 42-44).

As per claim 48, Burns discloses, “wherein a file access occurs in the presence of authoritative caching and said comparing steps are performed at said file system client” as the file with the name filename is created in the file server 17 and accessed by the client application 80 over the file communication path, in which the client application sends a request over the SQL communication path for the insertion of a record with a datalink field containing a server/filename entry into the database stored at the database storage, (see col. 9, lines 42-48).

As per claim 49, Burns discloses, “wherein said object includes a file”, (see col. 2, lines 31-34).

As per claim 50, Burns discloses, “wherein said version number associated with said object is embedded in an access token” as during modification users can access the immediately previous version of the file which register in the DBMS, (see col. 4, lines 39-42).

As per claim 51, Burns discloses, “wherein said version number is temporally unique” as the reference file A (1) is referred to as a versioned file, (see col. 5, lines 64-65).

As per claim 52, Burns discloses the claimed subject matter except the claimed wherein the last-modification-timestamp attribute associated with said object is maintained by said object store. However, Guturu discloses the steps of receiving a data update request for a data record at the database and comparing a timestamp of the data request, (see col. 2, lines 7-10). It would have been obvious to one ordinary skill in the art to modify the combined teachings of Burns with Guturu with steps of wherein the last-modification-timestamp attribute associated with said object is maintained by said object store. Such modification would allow the teachings of Burns and Guturu to improve the accuracy and the reliability of the method of maintaining data consistency in a loose transaction model, and to provide database synchronicity without the use of synchronizing messages and thus avoiding high on the links between the databases, and to process the data update requests and maintain the same data content at the two databases, (see Guturu, col. 3, lines 4-6; and col. 3, lines 9-10).

As per claim 53, Burns discloses, “wherein clock synchronization between a database server and a filesystem server is not required”, (see col. 2, lines 29-35).

As per claim 54, Burns discloses, “wherein said database is rolled back to an earlier state”, (see col. 5, lines 63-67).

As per claim 55, Burns discloses, “wherein said database is a replicated version”, (see col. 5, lines 63-67).

As per claim 56, Burns discloses the method, “means for updating said object while said object is currently linked” as user updates a linked file, that provided with a copy of the original linked file to maintain as local copy for updating, which during such updating operations the original unmodified reference file version remains in the file storage, (see col. 12, lines 57-61); and

“means for accessing said meta-data for said object while said object is being updated” as access file data through local file systems and make modifications to that data, (see col. 4, lines 39-40).

As per claim 57, Burns discloses “a computer program product having a computer readable medium having a computer program recorded therein for maintaining consistency of content of an object and metadata related to said object in a loose transaction model for object and meta-data updates” as to maintain consistency of the file content with its metadata in the DBMS requires that certain procedure must be followed in order to modify the file, (see col. 3, lines 48-51), “said computer program product including computer program code means for storing said related meta-data and a reference to said object in a table of a database” as the file management system also includes a function that receives the updated file, in which saves the updated file under a new name different from the original, (see col. 4, lines 54-56), and column 1, lines 55-58, “said object being stored externally to said database in an object store” as to keep large data objects stored as files in a file system and link these references to these external files from the database (col. 2, lines 14-16), “said reference used to obtain a handle for directly accessing or manipulating said external object” as a file manager when executed by the computer

system that accesses files maintained in file storage and communicates with a database management system that supports the linking of external files, (see col. 20, lines 28-32) and column 7, lines 15-17;

“computer program code means for obtaining a version number embedded in said handle” as the reference file A(1) is referred to as a versioned file, in which file A(1) is backed up in total, the backup operation of the new version file A(2) would involve backing up only the modified portions with respect to A(1), (see col. 5, lines 63-67). Burns does not explicitly disclose steps computer program code means for comparing said embedded version number with a version number of a latest committed version of said externally stored object to determine if said handle refers to a current version of said externally stored object” Guturu discloses step of comparing a version number of the data record to a version number of the data update, (see col. 2, lines 39-41), and column 4, lines 5-11-37; and also column 6, lines 47-51. It would have been obvious to one ordinary skill in the art to modify the combined teachings of Burns with Guturu with steps of comparing said embedded version number with a version number of a latest committed version of said externally stored object to determine if said handle refers to a current version of said externally stored object. Such modification would allow the teachings of Burns and Guturu to improve the accuracy and the reliability of the method of maintaining data consistency in a loose transaction model, and to provide database synchronicity without the use of synchronizing messages and thus avoiding high on the links between the databases, and to process the data update requests and maintain the same data content at the two databases, (see Guturu, col. 3, lines 4-6; and col. 3, lines 9-10).

As per claim 58, Burns discloses “a system for maintaining consistency of content of an object and metadata related to said object in a loose transaction model for object and meta-data updates” as to maintain consistency of the file content with its metadata in the DBMS requires that certain procedure must be followed in order to modify the file, (see col. 3, lines 48-51), “a database storing said related meta-data and a reference to said object in a table of a database” as the file management system also includes a function that receives the updated file, in which saves the updated file under a new name different from the original, (see col. 4, lines 54-56), and column 1, lines 55-58, “said object being stored externally to said database in an object store” as to keep large data objects stored as files in a file system and link these references to these external files from the database (col. 2, lines 14-16), “said reference used to obtain a handle for directly accessing or manipulating said external object” as a file manager when executed by the computer system that accesses files maintained in file storage and communicates with a database management system that supports the linking of external files, (see col. 20, lines 28-32) and column 7, lines 15-17;

“a native object store for storing said object externally to said database” as to keep large data objects stored as files in a file system and link these references to these external files from the database, (see col. 2, lines 14-16);

“a database mediator for obtaining said handle using said reference to directly access or manipulate said external object” as a file manager when executed by the computer system that accesses files maintained in file storage and communicates with a database management system that supports the linking of external files, (see col. 20, lines 28-32) and column 7, lines 15-17;

“means for obtaining a version number embedded in said handle” as the reference file A(1) is referred to as a versioned file, in which file A(1) is backed up in total, the backup operation of the new version file A(2) would involve backing up only the modified portions with respect to A(1), (see col. 5, lines 63-67). Burns does not explicitly disclose steps means for comparing said embedded version number with a version number of a latest committed version of said externally stored object to determine if said handle refers to a current version of said externally stored object” Guturu discloses step of comparing a version number of the data record to a version number of the data update, (see col. 2, lines 39-41), and column 4, lines 5-11-37; and also column 6, lines 47-51. It would have been obvious to one ordinary skill in the art to modify the combined teachings of Burns with Guturu with steps means for comparing said embedded version number with a version number of a latest committed version of said externally stored object to determine if said handle refers to a current version of said externally stored object. Such modification would allow the teachings of Burns and Guturu to improve the accuracy and the reliability of the method of maintaining data consistency in a loose transaction model, and to provide database synchronicity without the use of synchronizing messages and thus avoiding high on the links between the databases, and to process the data update requests and maintain the same data content at the two databases, (see Guturu, col. 3, lines 4-6; and col. 3, lines 9-10).

Prior Art

8. The prior art of record and not relied on upon is considered pertinent to applicant's disclosure. Anderson et al. U.S. Patent No. 5,499,365 relates to data processing systems. Tokuma U.S. Patent No. 6,205,445 relates to a file distribution system and method thereof.

Contact Information

9. Any inquiry concerning this communication from examiner should be directed to Jean Bolte Fleurantin at (703) 308-6718. The examiner can normally be reached on Monday through Friday from 7:30 A.M. to 6:00 P.M.

If any attempt to reach the examiner by telephone is unsuccessful, the examiner's supervisor, Mr. REENE JOHN E can be reached at (703) 305-9790. The FAX phone numbers for the Group 2100 Customer Service Center are: ***After Final (703) 746-7238, Official (703) 746-7239, and Non-Official (703) 746-7240.*** NOTE: Documents transmitted by facsimile will be entered as official documents on the file wrapper unless clearly marked "***DRAFT***".

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group 2100 Customer Service Center receptionist whose telephone numbers are (703) 306-5631, (703) 306-5632, (703) 306-5633.



Jean Bolte Fleurantin

2003-12-01